

Bibliography

- Abbott, D. H. and Isley, A. E. (2002). The intensity, occurrence and duration of superplume events and eras over geological time. *Journal of Geodynamics*, 34:265–307.
- Abe, Y. (1993a). Physical state of the very early Earth. *Lithos*, 30:223–235.
- Abe, Y. (1993b). Thermal Evolution and Chemical Differentiation of the Terrestrial Magma Ocean. In Takahashi, E., Jeanloz, R., and Rubie, D., editors, *Evolution of the Earth and Planets, Geophysical Monograph 74*, pages 41–54. AGU.
- Abe, Y. (1997). Thermal and chemical evolution of the terrestrial magma ocean. *Phys. Earth Planet. Inter.*, 100:27–39.
- Acuña, M. H., Connerty, J. E. P., Ness, N. F., Lin, R. P., Mitchell, D., Carlson, C. W., McFadden, J., Anderson, K. A., Rème, H., Mazelle, C., Vignes, D., Wazilewsky, P., and Cloutier, P. (1999). Global Distribution of Crustal Magnetization Discovered by the Mars Global Surveyor MAG/ER Experiment. *Science*, 284(5415):790–793.
- Albarède, F. and Van der Hilst, R. D. (2002). Zoned Mantle Convection. *Philos. T. Roy. Soc. A*, 360(1800):2569–2592.
- Allègre, C. J., Manhès, G., and Göpel, C. (1995). The age of the Earth. *Geochimica et Cosmochimica Acta*, 59(8):1445–1456.
- Amelin, Y., Lee, D.-C., and Halliday, A. N. (2000). Early-middle Archaean crustal evolution deduced from Lu-Hf and U-Pb isotopic studies of single zircon grains. *Geochimica et Cosmochimica Acta*, 64(24):4205–4225.
- Anderson, O. L. (2002). The power balance at the core-mantle boundary. *Phys. Earth Planet. Inter.*, 131:1–17.
- Anhaeusser, C. R. and Walraven, F. (1999). Episodic granitoid emplacement in the western Kaapvaal Craton: evidence from the Archaean Kraaipan granite-greenstone terrane, South Africa. *Journal of African Earth Sciences*, 28(2):289–309.
- Arndt, N. (1983). Role of a thin, komatiite-rich oceanic crust in the Archean plate-tectonic process. *Geology*, 11:372–375.
- Arndt, N. (1999). Why was flood volcanism on submerged continental platforms so common in the Precambrian? *Precambrian Res.*, 97:155–164.
- Arndt, N., Ginibre, C., Chauvel, C., Albarède, F., Cheadle, M., C., H., Jenner, G., and Lahay, Y. (1998). Were komatiites wet? *Geology*, 26(8):739–742.
- Arndt, N. and Nesbitt, R. W. (1982). Geochemistry of Munro Township basalts. In Arndt, N. and Nisbet, E., editors, *Komatiites*, pages 209–330, London. George Allen & Unwin.
- Atherton, M. P. and Petford, N. (1993). Generation of sodium-rich magmas from newly underplated basaltic crust. *Nature*, 362:144–146.
- Avé Lallement, H. G., Carter, N. L., Mercier, J.-C. C., and Ross, J. V. (1980). Rheology of the uppermost mantle: inferences from peridotite xenoliths. *Tectonophysics*, 70:1–27.
- Baker, V. R. (2001). Water and the martian landscape. *Nature*, 412:228–236.
- Ballard, S. and Pollack, H. N. (1987). Diversion of heat by Archean cratons: a model for southern Africa. *Earth Plan. Sci. Let.*, 85:253–264.
- Ballard, S. and Pollack, H. N. (1988). Modern and ancient geotherms beneath southern Africa. *Earth Plan. Sci. Let.*, 88:132–142.
- Barth, M. G., Rudnick, R. L., Horn, I., McDonough, W. F., Spicuzza, M. J., Valley, J. W., and Haggerty, S. E. (2001). Geochemistry of xenolithic eclogites from West Africa, Part I: A link between low MgO eclogites and Archean crust formation. *Geochimica et Cosmochimica Acta*, 65(9):1499–1527.

- Beattie, P. (1993). The generation of uranium series disequilibria by partial melting of spinel peridotite: constraints from partitioning studies. *Earth Plan. Sci. Let.*, 117:379–391.
- Bercovici, D., Ricard, Y., and Schubert, G. (2001). A two-phase model for compaction and damage. 1. General Theory. *J. Geophys. Res.*, 106(B5):8887–8906.
- Bickle, M. J. (1978). Heat loss from the Earth: A constraint on Archaean tectonics from the relation between geothermal gradients and the rate of plate production. *Earth Plan. Sci. Let.*, 40:301–315.
- Bickle, M. J. (1986). Implications of melting for stabilisation of the lithosphere and heat loss in the Archaean. *Earth Plan. Sci. Let.*, 80:314–324.
- Blichert-Toft, J., Albarède, F., Rosing, M., Frei, R., and Bridgwater, D. (1999). The Nd and Hf isotopic evolution of the mantle through the Archean. Results from the Isua supracrustals, West Greenland, and from the Birimian terranes of West Africa. *Geochimica et Cosmochimica Acta*, 63(22):3901–3914.
- Boullier, A.-M. and Nicolas, A. (1973). Texture and fabric of peridotite nodules from kimberlite at mothae, thaba putsoa and kimberley. In *Lesotho Kimberlites*, pages 57–66. Lesotho National Development Corporation.
- Braun, J., Chery, J., Poliakov, A., Mainprice, D., Vauchez, A., Tommasi, A., and Daignieres, M. (1999). A simple parameterization of strain localization in the ductile regime due to grain size reduction: A case study for olivine. *J. Geophys. Res.*, 181(B11):25,167–25,181.
- Breuer, D. and Spohn, T. (1995). Possible flush instability in mantle convection at the Archaea-Proterozoic transition. *Nature*, 378:608–610.
- Brueckner, H. K. and Medaris, L. G. (1998). A tale of two orogens: The contrasting T-P-t history and geochemical evolution of mantle in high and ultra-high pressure metamorphic terranes of the Norwegian Caledonides and the Czech Variscides. *Schweiz. Mineral. Petrogr. Mitt.*, 78:293–307.
- Buck, W. R. and Su, W. (1989). Focused man-
tle upwelling below mid-ocean ridges due to feedback between viscosity and melting. *Geophys. Res. Let.*, 16(7):641–644.
- Buffett, B. A. (2003). The thermal state of the Earth's core. *Science*, 299(5613):1675–1676.
- Campbell, I. H. and Hill, R. I. (1988). A two-stage model for the formation of the granite-greenstone terrains of the Kalgoorlie-Norseman area, Western Australia. *Earth Plan. Sci. Let.*, 90:11–25.
- Campbell, I. H. and Taylor, S. R. (1983). No water, no granites - no oceans, no continents. *Geophys. Res. Let.*, 10(11):1061–1064.
- Carslaw, H. S. and Jaeger, J. C. (1959). *Conduction of heat in solids*. Clarendon Press, Oxford.
- Chopra, P. and Paterson, M. S. (1984). The role of water in the deformation of dunite. *J. Geophys. Res.*, 106:7861–7876.
- Chopra, P. N. and Paterson, M. S. (1981). The experimental deformation of dunite. *Tectonophysics*, 78:453–473.
- Christensen, U. R. (1985). Thermal evolution models for the earth. *J. Geophys. Res.*, 90(B4):2995–3007.
- Christensen, U. R. (1988). Is subducted lithosphere trapped at the 670-km discontinuity? *Nature*, 336:462–463.
- Christensen, U. R. and Hofmann, A. W. (1994). Segregation of subducted oceanic crust in the convecting mantle. *J. Geophys. Res.*, 99(B10):19867–19884.
- Christensen, U. R. and Yuen, D. A. (1985). Layered convection induced by phase transitions. *J. Geophys. Res.*, 99:10291–10300.
- Coltice, N. and Ricard, Y. (1999). Geochemical observations and one layer mantle convection. *Earth Plan. Sci. Let.*, 174:125–137.
- Condé, K. (1981). *Archean Greenstone Belts. Developments in Precambrian Geology* 3. Elsevier, Amsterdam.
- Condé, K. C. (1990). Geochemical characteristics of Precambrian basaltic greenstones. In Hall, R. P. and Hughes, D. J., editors, *Early Precambrian basic magmatism*, pages 40–55, Glasgow. Blackie.
- Condé, K. C. (1994). Greenstones through

- time. In Condie, K. C., editor, *Archean crustal evolution*, pages 85–120, Amsterdam, The Netherlands. Elsevier.
- Connerney, J. E. P., Acuña, M. H., Wasilewski, P. J., Ness, N. F., Rème, H., Mazelle, C., Vignes, D., Lin, R. P., Mitchell, D. L., and Cloutier, P. A. (1999). Magnetic Lineation in the Ancient Crust of Mars. *Science*, 284:794–798.
- Conrad, C. P. and Hager, B. H. (2001). Mantle convection with strong subduction zones. *Geophys. J. Int.*, 144:271–288.
- Crough, S. T. (1975). Thermal model of oceanic lithosphere. *Nature*, 256:388–390.
- Cuvelier, C., Segal, A., and Van Steenhoven, A. A. (1986). *Finite element methods and Navier-Stokes equations*. D. Reidel Publishing Company, Dordrecht, The Netherlands.
- Davies, G. F. (1979). Thickness and thermal history of continental crust and root zones. *Earth Plan. Sci. Lett.*, 44:231–238.
- Davies, G. F. (1980). The Histories of Convective Earth Models and Constraints on Radioactive Heat Production in the Earth. *J. Geophys. Res.*, 85(B5):2517–2530.
- Davies, G. F. (1992). On the emergence of plate tectonics. *Geology*, 20:963–966.
- De Bresser, J. H. P., Peach, C. J., Reijss, J. P. J., and Spiers, C. J. (1998). On dynamic recrystallization during solid state flow: Effects of stress and temperature. *Geophys. Res. Lett.*, 25:3457–3460.
- De Bresser, J. H. P., ter Heege, J. H., and Spiers, C. J. (2001). Grain size reduction by dynamic recrystallization: can it result in major rheological weakening? *Int. J. Earth Sciences*, 90(1):28–45.
- De Smet, J. H. (1999). *Evolution of the continental upper mantle: numerical modelling of thermo-chemical convection including partial melting*. PhD thesis, Utrecht University, The Netherlands.
- De Smet, J. H., Van den Berg, A. P., and Vlaar, N. J. (1998). Stability and growth of continental shields in mantle convection models including recurrent melt production. *Tectonophysics*, 296:15–29.
- De Smet, J. H., Van den Berg, A. P., and Vlaar, N. J. (1999). The evolution of continental roots in numerical thermo-chemical mantle convection models including differentiation by partial melting. *Lithos*, 48:153–170.
- De Smet, J. H., Van den Berg, A. P., and Vlaar, N. J. (2000a). Early formation and long-term stability of continents resulting from decompression melting in a convecting mantle. *Tectonophysics*, 322:19–33.
- De Smet, J. H., Van den Berg, A. P., and Vlaar, N. J. (2000b). Early formation and long-term stability of continents resulting from decompression melting in a convecting mantle. *Tectonophysics*, 322:19–33.
- De Smet, J. H., Van den Berg, A. P., Vlaar, N. J., and Yuen, D. A. (2000c). A characteristics-based method for solving the transport equation and its application to the process of mantle differentiation and continental root growth. *Geophys. J. Int.*, 140:651–659.
- De Wit, M. J. (1998). On Archean granites, greenstones, cratons and tectonics: does the evidence demand a verdict? *Precambrian Res.*, 91:181–226.
- Dohm, J. D. and Tanaka, K. L. (1999). Geology of the Thaumasia region, Mars: plateau development, valley origins, and magmatic evolution. *Planetary and Space Science*, 47:411–431.
- Doin, M. P. and Fleitout, L. (1996). Thermal evolution of the oceanic lithosphere: an alternative view. *Earth Plan. Sci. Lett.*, 142:121–136.
- Drury, M. R. and Fitz Gerald, J. D. (1998). Mantle rheology: insights from laboratory studies of deformation and phase transition. In Jackson, I., editor, *The Earth's mantle: composition, structure and evolution*, pages 503–559. Cambridge University Press.
- Drury, M. R., van Roermund, H. L. M., Carswell, D. A., de Smet, J. H., van den Berg, A. P., and Vlaar, N. J. (2001). Emplacement of deep upper mantle rocks into cratonic lithosphere by convection and diapiric upwelling. *Journal of Petrology*, 42:131–140.
- Dumoulin, C., Doin, M.-P., and Fleitout, L.

- (2001). Numerical simulation of the cooling of an oceanic lithosphere above a convective mantle. *Earth Plan. Sci. Let.*, 125:45–64.
- Ellis, R. M. and Hajnal, Z. and Bostock, M. G. (1996). Seismic studies on the trans-hudson orogen of western canada. *Tectonophysics*, 262:35–50.
- Fabriès, J., Lorand, J. P., Bodinier, J. L., and Dupuy, C. (1991). Evolution of the upper mantle beneath the Pyrenees: Evidence from orogenic spinel lherzolite massifs. *Journal of Petrology*, 32:55–76.
- Fei, Y., Moa, H., and Mysen, B. O. (1991). Experimental determination of element partitioning and calculation of phase relations in the MgO-FeO-SiO₂ system at high pressure and high temperature. *J. Geophys. Res.*, 96:2157–2169.
- Fischer, K. M. and Van der Hilst, R. D. (1999). A seismic look under the continents. *Science*, 285:1365–1366.
- Foley, S. F., Buhre, S., and Jacob, D. E. (2003). Evolution of the Archaean crust by delamination and shallow subduction. *Nature*, 421:249–252.
- Foley, S. F., Tiepolo, M., and Vannucci, R. (2002). Growth of early continental crust controlled by melting of amphibolite in subduction zones. *Nature*, 417:837–840.
- Folkner, W. M., Yoder, C. F., Yuan, D. N., Stansfield, E. M., and Preston, R. A. (1997). Interior structure and seasonal mass redistribution of Mars from radio tracking of Mars Pathfinder. *Science*, 278:1749–1751.
- Forte, A. M. and Perry, H. K. C. (2000). Geodynamic evidence for a chemically depleted continental tectosphere. *Science*, 290:1940–1944.
- Fowler, A. C. and O'Brien, S. B. G. (1996). A mechanism for episodic subduction on Venus. *J. Geophys. Res.*, 101(E2):4755–4763.
- Galer, S. and Goldstein, S. (1991). Early mantle differentiation and its thermal consequences. *Geochimica et Cosmochimica Acta*, 55:227–239.
- Goezze, C. (1978). Sheared lherzolites from the point of view of rock mechanics. *Geology*, 3:172–173.
- Goodwin, A. M. (1991). *Precambrian Geology*. Academic Press Limited, London.
- Grand, S. P. (1994). Mantle shear structure beneath the Americas and surrounding oceans. *J. Geophys. Res.*, 99(B6):11,591–11,612.
- Green, D. H., Nicholls, I. A., Viljoen, M., and Viljoen, R. (1975). Experimental demonstration of the existence of peridotitic liquids in earliest Archean magmatism. *Geology*, 3:11–14.
- Green, D. H. and Ringwood, A. E. (1967). An experimental investigation of the gabbro to eclogite transformation and its petrological applications. *Geochimica et Cosmochimica Acta*, 31:767–833.
- Green, H. T. (1982). Anatexis of mafic crust and high pressure crystallization of andesite. In Thorpe, R. S., editor, *Andesites*. John Wiley and Sons.
- Green, H. W. and Gueguen, Y. (1983). Deformation of peridotite in the mantle and extraction by kimberlite: A case history documented by fluid and solid precipitates in olivine. *Tectonophysics*, 92:71–92.
- Hacker, B. R. (1996). Eclogite formation and the rheology, buoyancy, seismicity and H₂O content of oceanic crust. In *Subduction: Top to Bottom*, pages 337–346. AGU Monogr.
- Hacker, B. R., Abers, G. A., and Peacock, S. M. (2003). Subduction factory 1. Theoretical mineralogy, densities, seismic wave speeds, and H₂O contents. *J. Geophys. Res.*, 107.
- Haggerty, S. E. (1994). Superkimberlites: A geodynamic diamond window to the Earth's core. *Earth Plan. Sci. Let.*, 122:57–69.
- Halliday, A. N. and Lee, D.-C. (1999). Tungsten isotopes and the early development of the Earth and Moon. *Geochimica et Cosmochimica Acta*, 63(23/24):4157–4279.
- Hamilton, P. J., O'Nions, R. K., Bridgwater, D., and Nutman, A. (1983). Sm-Nd studies of Archaean metasediments and metavolcanics from West Greenland and their implications for the Earth's early history. *Earth Plan. Sci. Let.*, 62:263–272.

- Hamilton, W. B. (1998). Archean magmatism and deformation were not products of plate tectonics. *Precambrian Res.*, 91:143–179.
- Hargraves, R. B. (1986). Faster spreading or greater ridge length in the Archean? *Geology*, 14:750–752.
- Harte, B. (1983). Mantle peridotites and processes: The kimberlite sample. In Hawkesworth, C. J. and Norry, M. J., editors, *Continental basalts and mantle xenoliths*, Cambridge, Mass. Birkhäuser Boston.
- Hartmann, W. K., Malin, M., McEwen, A., Carr, M., Soderblom, L., Thomas, P., Danielson, E., James, P., and Veverka, J. (1999). Evidence for recent volcanism on Mars from crater counts. *Nature*, 397:586–589.
- Hartmann, W. K. and Neukum, G. (2001). Cratering chronology and the evolution of Mars. *Space Science Reviews*, 96:165–194.
- Helmstaedt, H. H. and Scott, D. J. (1992). The Proterozoic ophiolite problem. In Condie, K. C., editor, *Proterozoic crustal evolution*, pages 55–95, Amsterdam, The Netherlands. Elsevier.
- Henderson, P. (1982). *Inorganic geochemistry*. Pergamon.
- Herrick, D. L. and Parmentier, E. L. (1994). Episodic large-scale overturn of two-layer mantles in terrestrial planets. *J. Geophys. Res.*, 99(E1):2053–2062.
- Herzberg, C. and O’Hara, M. J. (1998). Phase equilibrium constraints on the origin of basalts, picrites and komatiites. *Earth-Science Reviews*, 44(1-2):39–79.
- Herzberg, C. and Zhang, J. (1996). Melting experiments on anhydrous peridotite KLB-1: Compositions of magmas in the upper mantle and the transition zone. *J. Geophys. Res.*, 101:8271–8295.
- Hirose, K., Fei, Y., Ma, Y., and Mao, H.-K. (1999). The fate of subducted basaltic crust in the earth’s lower mantle. *Nature*, 397:53–56.
- Hirth, G. and Kohlstedt, D. L. (1996). Water in the oceanic upper mantle: implications for rheology, melt extraction and the evolution of the lithosphere. *Earth Plan. Sci. Let.*, 144:93–108.
- Hockney, R. W. and Eastwood, J. W. (1988). *Computer simulations using particles*. IOP Publishing Ltd, Bristol.
- Hofmann, A. W. (1997). Mantle geochemistry: the message from oceanic volcanism. *Nature*, 385:219–229.
- Hofmeister, A. (1999). Mantle values of thermal conductivity and the geotherm from phonon lifetimes. *Science*, 283:1699–1706.
- Honda, S. and Iwase, Y. (1996). Comparison of the dynamic and parameterized models of mantle convection including core cooling. *Earth Plan. Sci. Let.*, 139:133–145.
- Horedt, G. P. (1980). Gravitational heating of planets. *Phys. Earth Planet. Inter.*, 21:22–30.
- Huppert, H. E. and Sparks, S. J. (1988). The generation of granitic magmas by intrusion of basalt into continental crust. *Journal of Petrology*, 29(3):599–624.
- Irfune, T. and Ringwood, A. E. (1993). Phase transformations in subducted oceanic crust and buoyancy relations at depths of 600–800 km in the mantle. *Earth Plan. Sci. Let.*, 117:101–110.
- Ito, G. (2001). Reykjanes ‘V’-shaped ridges originating from a pulsing and dehydrating mantle plume. *Nature*, 411:681–684.
- Ito, G., Shen, Y., Hirth, G., and J., W. C. (1999). Mantle flow, melting, and dehydration of the Iceland mantle plume. *Earth Plan. Sci. Let.*, 165:81–96.
- Ito, K. and Kennedy, G. C. (1971). An experimental study of the basalt-garnet granulite-eclogite transition. In Heacock, J. G., editor, *The structure and physical properties of the Earth’s crust*, pages 303–314, Washington D. C. American Geophysical Union.
- Jakosky, B. M. and Phillips, R. J. (2001). Mars’ volatile and climate history. *Nature*, 412:237–244.
- Jaques, A. L. and Green, D. H. (1980). Anhydrous Melting of Peridotite at 0–15 Kb Pressure and the Genesis of Tholeiitic Basalts. *Contrib. Mineral. Petrol.*, 73:287–310.
- Jha, K., Parmentier, E. M., and Morgen, J. P. (1994). The role of mantle-depletion and

- melt-retention buoyancy in spreading-center segmentation. *Earth Plan. Sci. Let.*, 125:221–234.
- Jin, Z.-M., Zhang, J., Green II, H. W., and Jin, S. (2001). Eclogite rheology: Implications for subducted lithosphere. *Geology*, 29(8):667–670.
- Johnson, K., Barnes, C. G., and Miller, C. A. (1997). Petrology, geochemistry, and genesis of high-Al tonalite and trondhjemites of the Cornucopia Stock, Blue Mountains, northeastern Oregon. *Journal of Petrology*, 38(11):1585–1611.
- Jordan, T. H. (1979). Mineralogies, densities, and seismic velocities of garnet Iherzolites and their geophysical implications. In *The Mantle Sample: Inclusions in Kimberlites and Other Volcanics*, pages 1–14. American Geophysical Union.
- Jung, H. and Karato, S.-I. (2001). Effects of water on dynamically recrystallized grain-size of olivine. *J. Struct. Geol.*, 23:1337–1344.
- Juteau, T. and Maury, R. (1999). *The Oceanic Crust, from Accretion to Mantle Recycling*. Springer-Praxis.
- Kameyama, M., Fujimoto, H., and Ogawa, M. (1996). A thermo-chemical regime in the upper mantle in the early earth inferred from a numerical model of magma-migration in a convecting upper mantle. *Phys. Earth Planet. Inter.*, 94:187–215.
- Kameyama, M., Yuen, D. A., and Fujimoto, H. (1997). The interaction of viscous heating with grain-size dependent rheology in the deformation of localized slip zones. *Geophys. Res. Lett.*, 20:2523–2526.
- Karato, S. (1986). Does partial melting reduce the creep strength of the upper mantle? *Nature*, 319:309–310.
- Karato, S.-i. and Jung, H. (1998). Water, partial melting and the origin of the seismic low velocity and high attenuation zone in the upper mantle. *Earth Plan. Sci. Let.*, 157:193–207.
- Karato, S.-i., Toriumi, M., and Fujii, T. (1980). Dynamic recrystallization of olivine cingle crystals during high-temperature creep. *Geophys. Res. Lett.*, 7:649–652.
- Karato, S.-i., Wang, Z., Lui, M., and Fujino, K. (1995). Plastic deformation of garnets: systematics and implications for the rheology of the mantle transition zone. *Earth Plan. Sci. Let.*, 130:13–30.
- Karato, S.-i. and Wu, P. (1993). Rheology of the upper mantle: a synthesis. *Science*, 260:771–778.
- Kellogg, L., Hager, B. H., and Van der Hilst, R. D. (1999). Compositional Stratification in the Deep Mantle. *Science*, 283:1881–1884.
- Kerr, A. C., Marriner, G. F., Arndt, N. T., Tarney, J., Nivia, A., Saunders, A. D., and Duncan, R. A. (1996). The petrogenesis of Gorgona komatiites, picrites and basalts: new field, petrographic and geochemical constraints. *Lithos*, 37:245–260.
- Kerrick, R., Polat, A., Wyman, D., and Hollings, P. (1999). Trace element systematics of Mg₂₊ to Fe-tholeiitic basalt suites of the Superior Province: implications for Archean mantle reservoirs and greenstone belt genesis. *Lithos*, 46:163–187.
- Kimura, G., Ludden, J. N., Desrochers, J.-P., and Hori, R. (1993). A model of ocean-crust accretion for the Superior province, Canada. *Lithos*, 30:337–355.
- Kubo, T., Ohtani, E., Kondo, T., Takumi, K., Toma, M., Hosoya, T., Sano, A., Kikegawa, T., and Nagase, T. (2002). Metastable garnet in oceanic crust at the top of the lower mantle. *Nature*, 420:803–806.
- Kusky, T. M. (1998). Tectonic setting and terrane accretion of the Archean Zimbabwe craton. *Geology*, 26(2):163–166.
- Kusky, T. M., Li, J.-H., and Tucker, R. D. (2001). The Archean Dongwanzi ophiolite complex, North China craton: 2.505-Billion-year-old oceanic crust and mantle. *Science*, 292:1142–1145.
- Labrosse, S. (2002). Hotspots, mantle plumes and core heat loss. *Earth Plan. Sci. Let.*, 199:147–156.
- Labrosse, S., Poirier, J.-P., and Le Mouél, J.-L. (1997). On cooling of the earth's core. *Phys. Earth Planet. Inter.*, 99:1–17.
- Lambeck, K., Smither, C., and Johnston, P.

- (1998). Sea-level change, glacial rebound and mantle viscosity for northern Europe. *Geophys. J. Int.*, 134:102–144.
- Larsen, T. B. and Yuen, D. A. (1997). Ultrafast upwelling bursting through the upper mantle. *Earth Plan. Sci. Lett.*, 146:393–399.
- Larsen, T. B., Yuen, D. A., Smedsø, J. L., and Malevsky, A. V. (1997). Generation of fast timescale phenomena in thermo-mechanical processes. *Phys. Earth Planet. Inter.*, 102:213–222.
- Larsen, T. B., Yuen, D. A., and Storey, M. (1999). Ultrafast mantle plumes and implications for flood basalt volcanism in the northern Atlantic region. *Tectonophysics*, 311:31–43.
- Lockner, D. A. (1995). Rock Failure. In Ahrens, T. J., editor, *Rock Physics and Phase Relations. A Handbook of Physical Constants*, pages 127–147. American Geophysical Union.
- Ludden, J. H. and Gelinas, L. (1982). Trace element characteristics of komatiites and komatiitic basalts from the Abitibi metavolcanic belt of Quebec. In Arndt, N. T. and Nisbet, E. G., editors, *Komatiites*, pages 331–346, London. George Allen & Unwin.
- Mackwell, S. J., Zimmerman, M. E., and Kohlstedt, D. L. (1998). High-temperature deformation of dry diabase with application to tectonics on Venus. *J. Geophys. Res.*, 103(B1):975–984.
- Martin, H. (1999). Adakitic magmas: modern analogues of Archaean granitoids. *Lithos*, 46:411–429.
- McCulloch, M. T. and Bennett, V. C. (1994). Progressive growth of the Earth's continental crust and depleted mantle: Geochemical constraints. *Geochimica et Cosmochimica Acta*, 58(21):4717–4738.
- McDonough, W. F. and Sun, S.-s. (1995). The composition of the Earth. *Chemical Geology*, 120:223–253.
- McFarlane, E. A., Drake, M. J., and Rubie, D. C. (1994). Element partitioning between Mg-perovskite, magnesiowüstite, and silicate melt at conditions of the Earth's man-
- tle. *Geochimica et Cosmochimica Acta*, 58(23):5161–5172.
- McKenzie, D. (1977). The initiation of trenches: a finite amplitude instability. In Talwani, M. and Pitman, W. C. I., editors, *Island Arcs, Deep Sea Trenches and Back-Arc Basins*, pages 57–61, Washington. American Geophysical Union.
- McKenzie, D. P. (1967). Some remarks on heat flow and gravity anomalies. *J. Geophys. Res.*, 72(24):6261–6273.
- McKenzie, D. P. (1984). The generation and compaction of partially molten rock. *Journal of Petrology*, 25:713–765.
- McKenzie, D. P., Barnett, D. N., and Yuan, D.-N. (2002). The relationship between martian gravity and topography. *Earth Plan. Sci. Lett.*, 195:1–16.
- McKenzie, D. P. and Bickle, M. J. (1988). The Volume and Composition of Melt Generated by Extension of the Lithosphere. *Journal of Petrology*, 29:625–679.
- McNutt, M. K. (1984). Lithospheric flexure and thermal anomalies. *J. Geophys. Res.*, 89(B13):11,180–11,194.
- Mei, S. and Kohlstedt, D. L. (2000a). Influence of water on plastic deformation of olivine aggregates 1: Diffusion creep regime. *J. Geophys. Res.*, 105:21457–21469.
- Mei, S. and Kohlstedt, D. L. (2000b). Influence of water on plastic deformation of olivine aggregates 2: Dislocation creep regime. *J. Geophys. Res.*, 105:21471–21481.
- Mercier, J.-C. C. (1979). Peridotite xenoliths and the dynamics of kimberlite intrusions. In Boyd, F. R. and Meyer, H. O., editors, *The Mantle sample: Inclusions in Kimberlites and other Volcanics*, Washington. American Geophysical Union.
- Monnereau, M. and Dubuffet, F. (2002). Is Io's mantle really molten? *Icarus*, 158:450–459.
- Moresi, L. and Solomatov, V. (1998). Mantle convection with a brittle lithosphere: thoughts on the global tectonic styles of the Earth and Venus. *Geophys. J. Int.*, 133:669–682.
- Murthy, V. R. (1992a). Geochemical evidence

- for an initially molten Earth. *Phys. Earth Planet. Inter.*, 71:46–51.
- Murthy, V. R. (1992b). Geochemical evidence for an initially molten Earth. *Phys. Earth Planet. Inter.*, 71:46–51.
- Nicolas, A. (1986). Structure and petrology of peridotites: Clues to their geodynamic environment. *Rev. of Geophysics*, 24:875–895.
- Nicolas, A., Lucazeau, F., and Bayer, R. (1987). Peridotite xenoliths in Massif Central basalts, France: Textural and geophysical evidence for asthenospheric diapirism. In Nixon, P. H., editor, *Mantle xenoliths*, pages 563–574, New York. Wiley-Intersci.
- Nielsen, S. G., Baker, J. A., and Krogstad, E. J. (2002). Petrogenesis of an early Archaean (3.4 Ga) norite dyke, Isua, West Greenland: evidence for early Archaean crustal recycling? *Precambrian Res.*, 118:133–148.
- Nijman, W., De Bruijne, C. H., and Valkering, M. E. (1998). Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia. *Precambrian Res.*, 88:25–52.
- Nimmo, F. (2002). Why does Venus lack a magnetic field? *Geology*, 30(11):987–990.
- Nimmo, F. and McKenzie, D. (1996). Modelling plume-related uplift, gravity and melting on Venus. *Earth Plan. Sci. Lett.*, 145:109–123.
- Nimmo, F. and McKenzie, D. (1998). Volcanism and tectonics on Venus. *Ann. Rev. Earth Planet. Sci.*, 26:23–51.
- Nimmo, F. and Stevenson, D. J. (2000). Influence of early plate tectonics on the thermal evolution and magnetic field of Mars. *J. Geophys. Res.*, 105(E5):11,969–11,979.
- Nisbet, E. G. (1982). The tectonic setting and petrogenesis of komatiites. In Arndt, N. T. and Nisbet, E. G., editors, *Komatiites*, pages 501–520, London. George Allen & Unwin.
- Nisbet, E. G., Cheadle, M. J., Arndt, N. T., and Bickle, M. J. (1993). Constraining the potential temperature of the Archaean mantle: A review of the evidence from komatiites. *Lithos*, 30:291–307.
- Nisbet, E. G. and Fowler, C. M. R. (1983). Model for Archean plate tectonics. *Geology*, 11:376–379.
- Nishihara, Y. and Takahashi, E. (2001). Phase relation and physical properties of an Al-depleted komatiite to 23 GPa. *Earth Plan. Sci. Lett.*, 190:65–77.
- Nixon, P. H. and Boyd, F. R. (1973). Petrogenesis of the granular and sheared ultrabasic nodule suite in kimberlites. In Nixon, P. H., editor, *Lesotho Kimberlites*, pages 48–56, Maseru, Lesotho. Lesotho Natl. Dev. Corp.
- Ogawa, M. (1988). Numerical Experiments on Coupled Magmatism-Mantle Convection System: Implications for Mantle Evolution and Archean Continental Crusts. *J. Geophys. Res.*, 93(B12):15,119–15,134.
- Ogawa, M. (1997). A bifurcation in the coupled magmatism-mantle convection system and its implications for the evolution of the earth's upper mantle. *Phys. Earth Planet. Inter.*, 102:259–276.
- Ogawa, M. (2000). Coupled magmatism-mantle convection system with variable viscosity. *Tectonophysics*, 322:1–18.
- Oxburgh, E. R. and Parmentier, E. M. (1977). Compositional and density stratification in oceanic lithosphere - causes and consequences. *J. Geol. Soc. Lond.*, 133:343–355.
- Parman, S. W., Dann, J. C., Grove, T. L., and De Wit, M. J. (1997). Emplacement conditions of komatiite magmas from the 3.49 Ga Komati formation, Barberton Greenstone Belt, South Africa. *Earth Plan. Sci. Lett.*, 150:303–323.
- Parmentier, E. M. and Hess, P. C. (1992). Chemical differentiation of a convecting planetary interior: Consequences for a one plate planet such as Venus. *Geophys. Res. Lett.*, 19(20):2015–2018.
- Parsons, B. and McKenzie, D. (1978). Mantle convection and the thermal structure of plates. *J. Geophys. Res.*, 83(B9):4485–4496.
- Parsons, B. and Sclater, J. G. (1977). An analysis of the variation of ocean floor bathymetry and heat flow with age. *J. Geophys. Res.*, 82(B5):803–827.
- Patchett, P. J. (1983). Importance of the

- Lu-Hf isotopic system in studies of planetary chronology and chemical evolution. *Geochimica et Cosmochimica Acta*, 47:81–91.
- Pavlenkova, N. I., Pavlenkova, G. A., and Solodilov, L. N. (1996). High velocities in the uppermost mantle of the siberian craton. *Tectonophysics*, 262:51–65.
- Pavlenkova, N. I. and Yegorkin, A. V. (1983). Upper mantle heterogeneity in the northern part of eurasia. *Phys. Earth Planet. Inter.*, 33:180–193.
- Peck, W. J., Valley, J. W., Wilde, S. M., and Graham, C. M. (2001). Oxygen isotope ratios and rare earth elements in 3.3 to 4.4 Ga zircons: Ion microprobe evidence for high ^{18}O continental crust and oceans in the Early Archean. *Geochimica et Cosmochimica Acta*, 65(22):4215–4229.
- Petford, N. and Gallagher, K. (2001). Partial melting of mafic (amphibolitic) lower crust by periodic influx of basaltic magma. *Earth Plan. Sci. Lett.*, 193:483–499.
- Philpotts, A. R. (1990). *Principles of igneous and metamorphic petrology*. Prentice Hall, New Jersey.
- Piepenbreier, D. and Stöckhert, B. (2001). Plastic flow of omphacite in eclogites at temperatures below 500°C - implications for interplate coupling in subduction zones. *Int. J. Earth Sciences*, 90:197–210.
- Polat, A., Kerrich, R., and Wyman, D. A. (1998). The late Archean Schreiber-Hemlo and White River-Dayohessarah greenstone belts, Superior Province; collages of oceanic plateaus, oceanic arcs, and subduction-accretion complexes. *Tectonophysics*, 289(4):295–326.
- Pollack, H. N., Hurter, S. J., and Johnson, J. R. (1993). Heat flow from the Earth's interior: analysis of the global data set. *Rev. of Geophysics*, 31(3):267–280.
- Presnall, D. C., Weng, Y.-H., Milholland, C. S., and Walter, M. J. (1998). Liquidus phase relations in the system MgO-MgSiO₃ at pressures up to 25 GPa - constraints on crystallization of a molten Hadean mantle. *Phys. Earth Planet. Inter.*, 107:83–95.
- Puchtel, I. S., Hofmann, A. W., Mezger, K., Jochum, K. P., Shchipansky, A. A., and Samsonov, A. V. (1998). Oceanic plateau model for continental crustal growth in the archaean: A case study from the Kostomuksha greenstone belt, NW Baltic Shield. *Earth Plan. Sci. Lett.*, 155:57–74.
- Rapp, R. P., Watson, B. E., and Miller, C. F. (1991). Partial melting of amphibolite/eclogite and the origin of Archean trondjemites and tonalites. *Precambrian Res.*, 51:1–25.
- Reese, C. C., Solomatoc, V. S., and Moresi, L.-N. (1998). Heat transport efficiency for stagnant lid convection with dislocation viscosity: Application to Mars and Venus. *J. Geophys. Res.*, 103(E6):13,643–13,657.
- Ricard, Y., Bercovici, D., and Schubert, G. (2001). A two-phase model for compaction and damage. 2. Application to compaction, deformation, and the role of interfacial tension. *J. Geophys. Res.*, 106(B5):8907–8924.
- Richards, M. A., Duncan, R. A., and Courtillot, V. E. (1989). Flood Basalts and Hot-Spot Tracks: Plume Heads and Tails. *Science*, 246:103–107.
- Richter, F. M. (1985). Models for the Archean thermal regime. *Earth Plan. Sci. Lett.*, 73:350–360.
- Richter, F. M. (1988). A Major Change in the Thermal State of the Earth at the Archean-Proterozoic Boundary: Consequences for the Nature and Preservation of Continental Lithosphere. *Journal of Petrology, Special Lithosphere Issue*, pages 39–52.
- Ringwood, A. E. and Irifune, T. (1988). Nature of the 650-km seismic discontinuity; implications for mantle dynamics and differentiation. *Nature*, 331(6152):131–136.
- Rollinson, H. (1997). Eclogite xenoliths in west African kimberlites as residues from Archaean granitoid crust formation. *Nature*, 389:173–176.
- Ross, J. V., Ave Lallement, H. G., and Carter, N. L. (1980). Stress dependence of recrystallized-grain and subgrain size in olivine. *Tectonophysics*, 70:39–61.

- Rudnick, R. L. (1995). Making continental crust. *Nature*, 378:571–578.
- Rudnick, R. L., Barth, M., Horn, I., and McDonough, W. F. (2000). Rutile-bearing refractory eclogites: missing link between continents and depleted mantle. *Science*, 287:278–281.
- Ruff, L. and Anderson, D. L. (1980). Core formation, evolution and convection: a geophysical model. *Phys. Earth Planet. Inter.*, 21:181–201.
- Rutter, E. H. and Brodie, K. (1988). The role of tectonic grain size reduction in the rheological stratification of the lithosphere. *Geologische Rundschau*, 77(1):295–308.
- Sanloup, C., Jambon, A., and Gillet, P. (1999). A simple chondritic model of Mars. *Phys. Earth Planet. Inter.*, 112:43–54.
- Saxena, S. (1996). Earth mineralogical mode: Gibbs free energy minimization computation in the system MgO – FeO – SiO₂. *Geochimica et Cosmochimica Acta*, 60:2379–2395.
- Schaber, G. G., Strom, R. G., Moore, H. J., Soderblom, L. A., Kirk, R. L., Chadwick, D. J., Dawson, D. D., Gaddis, L. R., Boyce, J. M., and Russel, J. (1992). Geology and distribution of impact craters on Venus: what are they telling us? *J. Geophys. Res.*, 97(E8):13,257–13,301.
- Schmeling, H., Monz, R., and Rubie, D. C. (1999). The influence of olivine metastability on the dynamics of subduction. *Earth Plan. Sci. Lett.*, 165:55–66.
- Schott, B., Van den Berg, A. P., and Yuen, D. A. (2001). Focussed Time-Dependent Martian Volcanism From Chemical Differentiation Coupled With Variable Thermal Conductivity. *Geophys. Res. Lett.*, 28(22):4271–4274.
- Schott, B., Van den Berg, A. P., and Yuen, D. A. (2002). Slow secular cooling and long lived volcanism on Mars explained. *Lunar and Planetary Science Conference 33*. <http://www.lpi.usra.edu/meetings/lpsc2002>.
- Schubert, G. and Spohn, T. (1990). Thermal history of Mars and the sulfur content of its core. *J. Geophys. Res.*, 95(B9):14,095–14,104.
- Schulze, D. J., Harte, B., Valley, J. W., Brenan, J. M., and Channer, D. M. (2003). Extreme crustal oxygen isotope signatures preserved in coesite in diamond. *Nature*, 423:68–70.
- Sclater, J. G., Jaupart, C., and Galson, D. (1980). The Heat Flow Through Oceanic and Continental Crust and the Heat Loss of the Earth. *Reviews of Geophysics and Space Physics*, 18(1):269–311.
- Scott, D. R. and Stevenson, D. J. (1984). Magma solitons. *Geophys. Res. Lett.*, 11(11):1161–1164.
- Scott, D. R. and Stevenson, D. J. (1989). A self-consistent model of melting, magma migration and buoyancy-driven circulation beneath mid-ocean ridges. *J. Geophys. Res.*, 94:2973–2988.
- Segal, A. (1993). Finite element methods for advection-diffusion equations. In Vreugdenhil, C. B. and Koren, B., editors, *Numerical methods for advection-diffusion problems. Notes on Numerical Fluid Mechanics*, volume 45, pages 195–214, Braunschweig, Germany. Vieweg.
- Segal, A. and Praagman, N. P. (2002). The sepran package. Technical report, <http://dutita0.twi.tudelft.nl/NW/sepran.html>.
- Segal, A. and Vuik, C. (2000). *Computational Fluid Dynamics II, course manual*. J.M. Burgerscentrum, Research School for Fluid Mechanics, Delft, The Netherlands.
- Sharpe, H. N. and Peltier, W. R. (1978). Parameterized mantle convection and the Earth's thermal history. *Geophys. Res. Lett.*, 5(9):737–740.
- Silver, P. G., Gao, S. S., Liu, K. H., and the Kaapvaal Seismic Group (2001). Mantle deformation beneath southern africa. *Geophys. Res. Lett.*, 28(13):2493–2496.
- Sleep, N. H. (1990). Hotspots and Mantle Plumes: Some Phenomenology. *J. Geophys. Res.*, 95(B5):6715–6736.
- Sleep, N. H. (1994). Martian plate tectonics. *J. Geophys. Res.*, 99(E3):5639–5655.
- Sleep, N. H. (2000). Evolution of the mode of convection within terrestrial planets. *J. Geo-*

- phys. Res.*, 105(E7):17563–17578.
- Sleep, N. H. (2002). Local lithospheric relief associated with fracture zones and ponded plume material. *Geochem. Geophys. Geosyst.*, 3(12).
- Sleep, N. H. and Windley, B. F. (1982). Archean plate tectonics: constrains and inferences. *Journal of Geology*, 90:363–379.
- Smith, H. S., Erlank, A. J., and Duncan, A. R. (1980). Geochemistry of some ultramafic komatiite lava flows from the Barberton Mountain Land, South Africa. *Precambrian Res.*, 11:399, 415.
- Smith, J. B. (2003). The episodic development of intermediate to silicic volcano-plutonic suites in the Archaean West Pilbara, Australia. *Chemical Geology*, 194:275–295.
- Smithies, R. H. (2000). The Archean tonalite-trondhjemite-granodiorite (TTG) series is not an analogue of Cenozoic adakite. *Earth Plan. Sci. Lett.*, 182:115–125.
- Smrekar, S. E. and Parmentier, E. M. (1996). The interaction of mantle plumes with surface thermal and chemical boundary layers: Applications to hotspots on Venus. *J. Geophys. Res.*, 101(B3):5397–5410.
- Solomatov, V. S. and Moresi, L.-N. (1996). Stagnant lid convection on Venus. *J. Geophys. Res.*, 101(E2):4737–4753.
- Solomatov, V. S. and Moresi, L.-N. (2000). Scaling of time-dependent stagnant lid convection: application to small-scale convection on earth and other terrestrial planets. *J. Geophys. Res.*, 105(B9):1,795–21,817.
- Solomatov, V. S. and Zharkov, V. N. (1990). The thermal regime of Venus. *Icarus*, 84:280–295.
- Solomon, S. C. and Head, J. W. (1990). Heterogeneities in the thickness of the elastic lithosphere of Mars: constraints on heat flow and internal dynamics. *J. Geophys. Res.*, 95(B7):11,073–11,083.
- Spiegelman, M. (1993a). Flow in deformable porous media. part 1. simple analysis. *J. Fluid Mech.*, 247:17–38.
- Spiegelman, M. (1993b). Flow in deformable porous media. part 2. Numerical analysis: The relationship between shock waves and solitary waves. *J. Fluid Mech.*, 247:39–63.
- Spohn, T., Acuña, M. H., Breuer, D., Golombek, M., Greeley, R., Halliday, A., Hauber, E., Jaumann, R., and Sohl, F. (2001). Geophysical constraints on the evolution of Mars. *Space Science Reviews*, 96:231–262.
- Spohn, T. and Schubert, G. (1982). Modes of mantle convection and the removal of heat from the earth's interior. *J. Geophys. Res.*, 87(B6):4682–4696.
- Stacey, F. D. (1992). *Physics of the Earth*. Brookfield Press, Australia, third edition.
- Stein, C. A. (1995). Heat flow of the Earth. In *Global Earth Physics. A handbook of physical constants*, pages 144–158. AGU.
- Stein, C. A. and Stein, S. (1992). A model for the global variation in oceanic depth and heat flow with lithospheric age. *Nature*, 359:123–129.
- Stein, M. and Hofmann, A. W. (1994). Mantle plumes and episodic crustal growth. *Nature*, 372:63–68.
- Steinbach, V., Hansen, U., and Ebel, A. (1989). Compressible convection in the Earth's mantle - a comparison of different approaches. *Geophys. Res. Lett.*, 16(7):633–636.
- Steinbach, V. and Yuen, D. A. (1993). Instabilities from phase-transitions and the timescales of mantle thermal evolution. *Geophys. Res. Lett.*, 20(12):1119–1122.
- Stevenson, D. J. (2003). Styles of mantle convection and their influence on planetary evolution. *C. R. Geoscience*, 335:99–111.
- Stevenson, D. J., Spohn, T., and Schubert, G. (1983). Magnetism and thermal evolution of the terrestrial planets. *Icarus*, 54:466–489.
- Stixrude, L. and Cohen, R. E. (1993). Stability of orthorhombic MgSiO_3 perovskite in the earth's lower mantle. *Nature*, 364(6438):613–636.
- Stone, W. E., Deloule, E., Larson, M. S., and Lesher, C. M. (1997). Evidence for hydrous high- MgO melts in the Precambrian. *Geology*, 25(2):143–146.
- Tackley, P. J. (2000). Mantle Convection and Plate Tectonics: Toward an Integrated

- Physical and Chemical Theory. *Science*, 288:2002–2007.
- Takahashi, E. and Kushiro, I. (1983). Melting of dry peridotite at high pressures and basalt magma genesis. *American Mineralogist*, 68:859–879.
- Taylor, S. R. and McLennan, S. M. (1985). *The Continental Crust: its Composition and Evolution*. Blackwell Scientific Publications.
- Thurston, P. C. (1994). Archean volcanic patterns. In Condie, K. C., editor, *Archean crustal evolution*, pages 45–84, Amsterdam, The Netherlands. Elsevier.
- Tommasi, A., Tikoff, B., and Vauchez, A. (1999). Upper mantel tectonics: three-dimensional deformation, olivine crystallographic fabrics and seismic properties. *Earth Plan. Sci. Lett.*, 168:173–186.
- Trampert, J. and Woodhouse, J. H. (1996). High resolution global phase velocity distributions. *Geophys. Res. Lett.*, 23(1):21–24.
- Turcotte, D. L. (1980). On the thermal evolution of the earth. *Earth Plan. Sci. Lett.*, 48:53–58.
- Turcotte, D. L. (1993). An Episodic Hypothesis for Venusian Tectonics. *J. Geophys. Res.*, 98(E9):17,061–17,068.
- Turcotte, D. L. (1995). How does Venus lose heat? *J. Geophys. Res.*, 100(E8):16931–16940.
- Turcotte, D. L., Morein, G., Roberts, D., and Malamud, B. D. (1999). Catastrophic resurfacing and episodic subduction on Venus. *Icarus*, 139:49–54.
- Turcotte, D. L. and Oxburgh, E. R. (1967). Finite amplitude convective cells and continental drift. *J. Fluid Mech.*, 28:29–42.
- Turcotte, D. L. and Schubert, G. (2002). *Geodynamics, Applications of continuum physics to geological problems*. John Wiley & Sons, 2nd edition.
- Vacquier, V. (1998). A theory of the origin of the Earth's internal heat. *Tectonophysics*, 291:1–7.
- Van den Berg, A. P., Rainey, E. S. G., and Yuen, D. A. (2003). The influences of variable thermal conductivity, variable viscosity and core-mantle coupling on thermal evolution. Van den Berg, A. P., Van Keeken, P. E., and Yuen, D. A. (1993). The effects of a composite non-Newtonian and Newtonian rheology on mantle convection. *Geophys. J. Int.*, 115:62–78.
- Van den Berg, A. P. and Yuen, D. A. (1996). Is the lower-mantle rheology Newtonian today? *Geophys. Res. Lett.*, 23(16):2033–2036.
- Van den Berg, A. P. and Yuen, D. A. (1997). The role of shear heating in lubricating mantle flow. *Earth Plan. Sci. Lett.*, 151:33–42.
- Van den Berg, A. P. and Yuen, D. A. (1998). Modelling planetary dynamics by using the temperature at the core-mantle boundary as a control variable: effects of rheological layering on mantle heat transport. *Phys. Earth Planet. Inter.*, 108:219–234.
- Van den Berg, A. P. and Yuen, D. A. (2002). Delayed cooling of the earth's mantle due to variable thermal conductivity and the formation of a low conductivity zone. *Earth Plan. Sci. Lett.*, 199:403–413.
- Van der Hilst, R. D. and Káráson, H. (1999). Compositional Heterogeneity in the Bottom 1000 km of the Earth's Mantle: Toward a Hybrid Convection Model. *Science*, 283:1885–1888.
- Van der Wal, D., Chopra, P., Drury, M., and Fitz Gerald, J. (1993). Relationships between dynamically recrystallized grain size and deformation conditions in experimentally deformed olivine rocks. *Geophys. Res. Lett.*, 14:1479–1482.
- Van Hunen, J. (2001). *Shallow and buoyant lithosphere subduction: causes and implications from thermo-chemical numerical modelling*. PhD thesis, Utrecht University, The Netherlands.
- Van Hunen, J., Van den Berg, A. P., and Vlaar, N. J. (2002). On the role of subducting oceanic plateaus in the development of shallow flat subduction. *Tectonophysics*, 352:317–333.
- Van Hunen, J., Van den Berg, A. P., and Vlaar, N. J. (2003). Various mechanisms to induce present-day shallow flat subduction and implications for the younger earth: a numerical parameter study. submitted to *Phys. Earth*

- Planet. Inter.
- Van Keken, P. E. (1997). Evolution of starting mantle plumes: a comparison between numerical and laboratory experiments. *Earth Plan. Sci. Lett.*, 148:1–11.
- Van Keken, P. E., King, S. D., Schmeling, H., Christensen, U. R., Neumeister, D., and Doin, M.-P. (1997). A comparison of methods for the modeling of thermochemical convection. *J. Geophys. Res.*, 102:22477–22495.
- Van Roermund, H. L. M. and Drury, M. R. (1998). Ultra-high pressure ($P > 6$ GPa) garnet peridotites in western Norway: Exhumation of mantle rocks from more than 185 km. *Terra Nova*, 10:195–301.
- Van Roermund, H. L. M., Drury, M. R., Barnhoorn, A., and de Ronde, A. (2001). Relict majoritic garnet microstructures from ultra-deep orogenic peridotites in western Norway. *Journal of Petrology*, 42:117–130.
- Van Thienen, P., Van den Berg, A. P., De Smet, J. H., Van Hunen, J., and Drury, M. R. (2003a). Interaction between small-scale mantle diapirs and a continental root. *Geochem. Geophys. Geosyst.*, 4:10.1029/2002GC000338.
- Van Thienen, P., Van den Berg, A. P., and Vlaar, N. J. (2003b). Production and recycling of oceanic crust in the early earth. submitted to *Tectonophysics*.
- Van Thienen, P., Vlaar, N. J., and Van den Berg, A. P. (2003c). Plate tectonics on the terrestrial planets. submitted to *Physics of the Earth and Planetary Interiors*.
- Vervoort, J. D., Patchett, P. J., Gehrels, G. E., and Nutman, A. P. (1996). Constraints on early Earth differentiation from hafnium and neodymium isotopes. *Nature*, 379:624–627.
- Vlaar, N. J. (1985). Precambrian geodynamical constraints. In Tobi, A. C. and Touret, J. L. R., editors, *The deep proterozoic crust in the North Atlantic provinces*, pages 3–20. Reidel.
- Vlaar, N. J. (1986). Archaean global dynamics. *Geologie en Mijnbouw*, 65:91–101.
- Vlaar, N. J. and Van den Berg, A. P. (1991). Continental evolution and archean-sea-levels. In Sabadini, R., Lambeck, K., and Boschi, E., editors, *Glacial Isostasy, Sea-Level and Mantle Rheology*, Dordrecht, Netherlands. Kluwer.
- Vlaar, N. J., Van Keken, P. E., and Van den Berg, A. P. (1994). Cooling of the Earth in the Archaean: Consequences of pressure-release melting in a hotter mantle. *Earth Plan. Sci. Lett.*, 121:1–18.
- Vreugdenhil, C. B. (1993). Introduction. In Vreugdenhil, C. B. and Koren, B., editors, *Numerical methods for advection-diffusion problems. Notes on Numerical Fluid Mechanics, volume 45*, Braunschweig, Germany. Vieweg.
- Walter, M. J. (1998). Melting of Garnet Peridotite and the Origin of Komatiite and Depleted Lithosphere. *Journal of Petrology*, 39(1):29–60.
- Walzer, U. and Hendel, R. (1997). Time-dependent thermal convection, mantle differentiation and continental-crust growth. *Geophys. J. Int.*, 130:303–325.
- Walzer, U. and Hendel, R. (1999). A new convection-fractionation model for the evolution of the principal geochemical reservoirs of the earth's mantle. *Phys. Earth Planet. Inter.*, 112:211–256.
- Weinberg, R. F. and Podladchikov, Y. (1994). Diapiric ascent of magmas through power law crust and mantle. *J. Geophys. Res.*, 99(B5):9543–9559.
- White, R. S. and McKenzie, D. (1995). Mantle plumes and flood basalts. *J. Geophys. Res.*, 100(B9):17543–17585.
- Wilde, S. A., Valley, J. D., Peck, W. H., and Graham, C. M. (2001). Evidence from detrital zircons for the existence of continental crust and oceans on the Earth 4.4 Gyr ago. *Nature*, 409:175–178.
- Winther, K. T. (1996). An experimentally based model for the origin of tonalitic and trondhjemite melts. *Chemical Geology*, 127:43–59.
- Yaxley, G. M. and Green, D. H. (1998). Reactions between eclogite and peridotite: mantle refertilization by subduction of oceanic crust.

- Schweiz. Mineral. Petrogr. Mitt.*, 78:243–255.
- Yoder, C. F., Konoplic, A. S., Yuan, D. N., Standidish, E. M., and Folkner, W. M. (2003). Fluid core size of Mars from detection of the solar tide. *Science*, 300:299–303.
- Yukutake, T. (2000). The inner core and the surface heat flow as clues to estimating the initial temperature of the earth's core. *Phys. Earth Planet. Inter.*, 121:103–137.
- Zegers, T. E. and Van Keken, P. E. (2001). Middle archean continent formation by crustal delamination. *Geology*, 29:1083–1086.
- Zegers, T. E., Wijbrans, J. R., and White, S. H. (1999). $^{40}\text{Ar}/^{39}\text{Ar}$ age constraints on tectonothermal events in the Shaw ware of the eastern Pilbara granite-greenstone terrain (W Australia): 700 Ma of Archean tectonic evolution. *Tectonophysics*, 311:45–81.
- Zhai, M., Zhao, G., and Zhang, Q. (2002). Is Dongwanzi Complex an Archean Ophiolite? *Science*, 295(5557):923.
- Zhang, C. Z. and Zhang, K. (1995). On the internal structure and magnetic fields of Venus. *Earth, Moon and Planets*, 69:237–247.
- Zuber, M. T. (2001). The crust and mantle of Mars. *Nature*, 412:220–227.